

Chromatic Adaptation is not for Object but for Illumination

Mitsuo Ikeda

Wachonan Naksuwan

Chanprapha Phuangsuwan

Color Research Center, Rajamangala Univ. of Tech. Thanyaburi, Thailand

Dept. of Printing Tech., Rajamangala Univ. of Tech. Thanyaburi, Thailand

Color Research Center, Rajamangala Univ. of Tech. Thanyaburi, Thailand

Keywords: Chromatic adaptation, Illumination, Elementary color naming, Recognized Visual Space of Illumination, Two rooms technique.

1. Introduction

The concept of recognized visual space of illumination RVSI emphasizes the adaptation to the illumination filling in a space in explaining the perception of color [1]. If so the effect of the chromatic adaptation is much stronger when a subject stays in a room illuminated by a certain color than he just looks at an object of that color. The effect of chromatic adaptation was compared for these two observing situations

2. Experiment

Experimental room was decorated by objects such as flowers and dolls as shown in Fig. 1. The subject room was illuminated by three fluorescent lamps L_s and the test room by two lamps L_t , both of the day light type. T is a test patch of N6 and a subject observed it through a window W of the size $4 \times 4 \text{ cm}^2$ from distance 120 cm or making the window size $2^\circ \times 2^\circ$ of visual angle.




Fig 1 Apparatus composing of two rooms.

Under the illumination condition the lamps L_s were covered by either red or green film and under the object condition a red or green color board CB of the size 52 cm wide and 38 cm high or $24^\circ \times 18^\circ$ with a hole of the same size as the window W was placed over the window so that the subject could observe the test patch T as for the illumination condition. The red area in Fig. 1 shows CB . The colored film was taken out for the object condition.

The red colored board was prepared by a laser printer and the green one by an inkjet printer. Their colors were made close to the respective colored lights and the final color specifications are shown on Table 1. The illuminance of the subject room was adjusted so that the luminance on the surface of the colored boards under white light or of the front white wall under colored light became roughly equal as seen in the column L . The illuminance at the adjustment on the shelf of the front wall was listed at the column E .

Table 1 Color specifications of paper board and illumination.

	L^*	x	y	L (cd/m^2)	E (lx)
Red paper	42	0.553	0.348	25	682
Red illum	-	0.564	0.354	26	91
Green paper	51	0.274	0.498	24	351
Green illum	-	0.287	0.623	25	85

In the test room the test patch T was illuminated by the bottom L_t at 100 lx of the vertical plane illuminance on the test patch.

Subjects judged the color appearance of the test patch by the elementary color naming method. Four subjects, WN, SN, CP, and MI with normal color vision participated in the experiment and repeated their observation for

five times for each condition. In the experiment four other test patches of which colors were slightly different from the test patch of N6 were randomly presented together with the real test patch of N6 to avoid subject's presumption. Judgment was repeated for five times for them also.

To measure the color appearance of the illumination of the subject room the test patch of N6 was put on the wall of the subject room as shown by Ti in Fig 1 and a subject looked at it through the window W from the test room illuminated with two lamps.

3. Results and discussion

The test patch appeared to be pasted on the window W and as an object in the subject room. Its color appearance was the object color mode for all four conditions. The averaged perceived colors from the four subjects are shown in Fig. 2 for four different conditions. Colored bars indicate




Fig 2 Color appearance of the test patch under different conditions.

the chromaticness, white bars the whiteness, and black bars the blackness, respectively. The chromaticness was zero or almost zero with colored board to imply effectively no chromatic adaptation. It went up to 70 or 80 % with colored illumination and it implies a strong chromatic adaptation.

When the visual system adapts to color, say to red, the recognition axis in the concept of RVSI rotates toward the color and the color appearance of the test patch which remains psychophysically white should appear as opposite color of the adapting color that is green,

by which we can know the effect of chromatic adaptation.

The amounts chromaticness and the apparent hues of the test patch are shown in Fig. 3 by a polar diagram based on the opponent-colors theory. Red and green circles indicate the color appearance of the illumination. Red and green squares indicate the apparent hue perceived for




Fig 3 Color appearance plotted on a polar diagram of the opponent-colors concept.

the illumination condition and the white squares for the object condition. Two are almost superposed. It is interesting to note that the apparent color of the test patch for red illumination is not green but greenish blue, not opposite to the red illumination. That is, the chromatic adaptation does not follow the opponent-colors theory. This tendency was also found in previous researches [2, 3].

References

- 1) M. Ikeda, P. Pungrassamee, P. Katemake, and A. Hansuebsai. The Brain adaptation to the color of illumination and not the retinal adaptation to the color of objects that determines the color appearance of an object in the space. *Opt. Rev.* 13 (2006) 388–395.
- 2) M. Ikeda, Y. Mizokami, S. Nakane, and H. Shinoda: Color appearance of a patch explained by RVSI for the conditions of various colors of room illumination and of various luminance levels of the patch. *Opt. Rev.* 9 (2002) 132–139.
- 3) P. Pungrassamee, M. Ikeda, P. Katemake, and A. Hansuebsai: Color appearance determined by recognition of space. *Opt. Rev.* 12 (2005) 211–218.

uri, Thailand
uri, Thailand
uri, Thailand

he lamps Ls
een film and
green color
and 38 cm
e same size
r the window
rve the test
ondition. The
colored film
tion
repaired by a
by an inkjet
close to the
e final color
Table 1. The
was adjusted
surface of the
or of the front
came roughly
ne illuminance
the front wall

paper board

L (cd/m ²)	E (lx)
682	
91	
24	351
25	85

patch T was
100 lx of the
test patch.
pearance of the
color naming
N, CP, and MI
cipated in the
observation for